



condensatoren & ontstoringsfilters

30

startcondensatoren.....	868
bedrijfscondensatoren.....	868
ferrietringen.....	869
filters.....	869
HV-condensatoren.....	870

condensatoren & ontstoringfilters

startcondensatoren

startcondensatoren



afb.	bestelnr.	capaciteit (µF)	V (V)	freq. (Hz)	inschakeltijd	ø (mm)	L (mm)	bevestiging	aansluiting
1	9393.5105	48	330	50/60	3s	36	83	M8	kabel 350mm
1	9180.0390	80	220/300	50/60	3min/1min	38	98	-	kabel 100mm
2	9211.0540	100	250	50/60	3s	46	85	-	F6,3
2	9182.0340	43	330	50/60	3	36	80	M8	kabel 350mm
3	9182.0270	88-106	220	50-60	3s	46	85	-	F6,3

bedrijfscondensatoren

kunststof



afb.	bestelnr.	capaciteit (µF)	V (V)	ø (mm)	L (mm)	bevestiging	aansluiting
1	9393.5110	1	425	25	49	M8	kabel 250mm
1	9393.5115	1,5	400	25	50	M8	kabel 250mm
1	9993.5115	2	425	25	49	M8	kabel 250mm
1	9393.5125	3	450	25	56	M8	kabel 250mm
1	9393.5130	4	450	30	60	M8	
1	9393.5135	5	425	30	55	M8	kabel 500mm
2	9393.5145	2,5	400	55	365	M8	F6,3
2	9490.0136	3	450	35,5	75	M8	F6,3
2	9393.5150	3,15	450	28	60	M8	F6,3
2	9393.0038	3,5	400	31,5	55	M8	F6,3
2	9393.5155	4	450	30	57	M8	F6,3
2	9393.5140	4	450	31	58	M8	F6,3
2	9393.0042	4,5	400	31,5	55	M8	F6,3
2	9163.1370	5	450	28	54	M8	F6,3
2	9393.0044	6	400	31,5	55	M8	F6,3
2	9393.5160	6	450	30	58	M8	F6,3
2	9162.4615	6,3	450	30	61	M8	F6,3
2	9393.5165	7	450	31	55	M8	F2,8
2	9393.0046	8	400	31,5	55	M8	F6,3
2	9993.5170	8	420	35	60	M8	F6,3
2	9393.0049	10	400	35,5	59	M8	F6,3
2	9393.0052	12,5	400	35	70	M8	F6,3
2	9993.7848	12,5	450	35	60	M8	F6,3
2	9393.5180	12,5	425	36	74	M8	F6,3
2	9393.0054	14	400	35	70	M8	F6,3
2	9393.0056	16	425	35	73	M8	F6,3
2	9393.0060	20	400	39,5	70	M8	F6,3



afb.	bestelnr.	capaciteit (µF)	V (V)	ø (mm)	L (mm)	bevestiging	aansluiting
2	9393.30060	20	425	40	70	M8	F6,3
2	9393.0062	25	400	44	70	M8	F6,3
2	9393.5175	30	400	45	95	M8	F6,3
2	9393.0065	31,5	400	45	95	M8	F6,3
2	9043.0060	35	400	45	95	M8	F6,3
2	9993.7099	40	400	45	95	M8	F6,3
2	9393.5002	45	400	50	95	M8	F6,3
2	9998.7013	50	400	50	95	M8	F6,3
2	9993.7828	60	250	45	120	M8	F6,3
2	9393.5140	60	400	49	115	M8	F6,3
3	9993.7095	6	425	30	58	-	F2,8
3	9993.7097	7	400	30	70	-	F6,3
3	9993.7096	16	400	40	72	-	F6,3
4	9993.7098	16	450	40	71	-	kabel 300mm
4	9993.7900	16	400	35	70	-	kabel 270mm

metaal



afb.	bestelnr.	capaciteit (µF)	V (V)	ø (mm)	L (mm)	bevestiging	aansluiting
1	9993.7090	1,5	400	25	75	M8	kabel 300mm
1	9393.0026	2	400	25	76	M8	kabel 300mm
1	9993.7075	3	400	30	85	M8	kabel 400mm
1	9993.7076	4	400	30	75	M8	kabel 300mm
1	9993.7077	6	400	30	85	M8	kabel 300mm
1	9993.7078	8	400	30	94	M8	kabel 300mm
1	9993.7078	10	400	35	90	M8	kabel 300mm
1	9393.5001	16	400	35	121	M8	kabel 300mm
1	9993.7080	20	450	35	120	M8	kabel 300mm
1	9993.7081	30	450	35	120	M8	kabel
2	9993.7082	1,5	450	40	61	M8	F6,3
2	9993.7083	2	450	40	61	M8	F6,3
2	9993.7084	2,5	450	40	61	M8	F6,3
2	9993.7085	4	450	40	61	M8	F6,3
2	9993.7086	4,5	450	40	61	M8	F6,3
2	9993.7087	6,3	450	40	61	M8	F6,3
2	9993.7088	14	450	40	71	M8	F6,3
2	9993.7089	30	450	50	100	M8	F6,3

							
afb.	bestelnr.	capaciteit (µF)	V (V)	ø (mm)	L (mm)	bevestiging	aansluiting
3	9993.7091	5	450	30	60	M8	F6,3
3	9162.1915	10	450	40	83	M8	F6,3
3	9162.4235	12,5	450	40	83	M8	F6,3
3	9993.7078	15	400	35	135	M8	kabel 630mm
3	9993.7082	16	450	40	100	M8	F6,3
3	9565.0255	20	420	45	82	M8	F6,3

ferrietringen



afb.	bestelnr.	ID ø (mm)	OD ø (mm)	H (mm)	afb.	bestelnr.	ID ø (mm)	OD ø (mm)	H (mm)
1	9993.7944	17	28	20	2	9993.7946	22	38	17

filters

ontstoringfilters



afb.	bestelnr.	type	geleider	uitvoering	L (mm)	ø (mm)	H (mm)	B (mm)
1	9993.7852	56172000030	2	-	43	-	40	44
2	9162.0486	10S7E-G1474253105-Q	2	met PE	40	40	-	-
2	9406.0570	30010455	3	met PE	52	60	-	-
2	9993.5160	FCP045000	4	met PE	56	38	-	-
2	9993.7940	KPB7028	2	met PE	50	38	-	-
3	9162.5425	411.13.5901D	4	stekker	50	38	-	-

afb.	bestelnr.	type	geleider	uitvoering	L (mm)	ø (mm)	H (mm)	B (mm)
4	9993.7854	56057000060	1	met PE	42	14	-	-
5	9993.7935	790Y2	2	met PE	42	23,5	-	-
5	9993.7858	FC489001	4	met PE	55	37,5	-	-
5	9089.0420	FC701Y2F	2	met PE	40	30	-	-
5	9993.7936	FC701Y2F	2	met PE	42	23	-	-
5	9993.7850	K0201020	2	met PE	35	20	-	-
5	9993.7840	K042202754	2	met PE	35	25	-	-

netfilters

met behuizing

								
1								
2								
3								
afb.	bestelnr.	type	V (V)	geleider	L (mm)	ø (mm)	H (mm)	B (mm)
1	9162.6895	411141410	250	2	64	38	-	-
2	9993.7937	30S4-1B1052251531	115/250	3	90	-	50	50
3	9163.6480	411524410	250	2	50	38	-	-







afb.	bestelnr.	type	V (V)	geleider	L (mm)	ø (mm)	H (mm)	B (mm)
4	9993.7938	5500.2318 FMBB-3FPC-2020	250	2	115	-	45	53
5	9993.7939	FC61113b	400	3	70	-	34	50
6	9993.7818	FF-6Z	110/250	2	90	-	29,5	51

  								
afb.	bestelnr.	type	V (V)	geleider	L (mm)	ø (mm)	H (mm)	B (mm)
7	NML	FN610-3/06	110/250	2	65	-	19	35
8	9993.7866	SKY2FN3	230	2	90	-	40	52
9	9993.7868	TS8111022B	250	2	41	-	38	18

RC-circuits

afb.	bestelnr.	type	V (V)	bevestiging
1	9406.1575	20002	110/220	plakband
2	9405.0094	910-304-585-50	130-250	-
3	9993.7942	CRD	600	-

HV-condensatoren

afb.	bestelnr.	capaciteit (µF)	type	stekertype	aansluiting	L (mm)	H (mm)	B (mm)	VPE (stuk)
1	9998.5451	0,53	J6090307AP	dubbel	F6,3	85	32	52	1
1	9995.5452	0,63	J6090305GP	dubbel	F6,3	85	32	52	1
1	9141.0385	0,65	N50H2365G21A3	drievoudig	F6,3	112	32	51	1
1	9998.5453	0,74	N50H2374G21A3	drievoudig	F6,3	112	32	52	1
1	9998.5454	0,8	N50H2180G25A3	drievoudig	F6,3	113	32	52	1
1	9141.0605	0,85	N50H2185G30A3	drievoudig	F6,3	112	32	52	1
1	9998.5455	0,88	N50H2188G34A3	drievoudig	F6,3	125	32	52	1
1	9998.5456	0,9	N50H2190G37A3	drievoudig	F6,3	125	32	51	1
1	9998.5457	0,91	HCHP-212091A	dubbel	F6,3	109	33	52	1
1	9998.5103	0,94	RC-QZA391WRZZ	dubbel	F6,3	94	38	66	1
1	9998.5458	0,95	CH85-21095	drievoudig	F6,3	114	33	52	1
1	9141.0660	0,95	CP613	drievoudig	F6,3	88	33	52	1
1	9998.5104	1	MSCP614	drievoudig	F6,3	97	32	51	1
1	9141.0245	1	N50H2110GA7A3	drievoudig	F6,3	124	32	52	1
1	9993.7848	1,05	CH85-21105	dubbel	F6,3	90	33	52	1
1	9998.5460	1,05	N50H2110GA5A3	drievoudig	F6,3	138	32	51	1
1	9998.5102	1,07	RC-QZA393WRZZ	dubbel	F6,3	98	37	65	1
1	9998.5461	1,1	CH85-21110	dubbel	F4,8	90	33	52	1
1	9998.5463	1,15	CH85-21115	dubbel	F4,8	105	33	52	1
1	9998.0353	1,15	CH85-23115	dubbel	F4,8	100	39	66	1
1	9998.5109 ¹	1,15	N42H2511G22A4	drievoudig	F6,3	107	40	66	1
1	9993.7864	1,15	N50H2111G64A3	drievoudig	F6,3	138	32	51	1
1	9998.0298	1,2	CH85-21120	dubbel	F6,3	100	33	52	1
1	9141.1105	1,2	CH85-23120	dubbel	F6,3	108	38	66	1
1	9141.0545	1,2	N50H2112G41A3	drievoudig	F6,3	137	32	51	1
1	9993.7860	1,3	N50H2113G25A3	drievoudig	F6,3	138	32	51	1
2	9998.5100 ¹	1,05 / 0,15	HCH-250515P	dubbel	F6,3	108	46	70	1
2	9998.5097 ¹	0,91/ 0,19	N64H2511G24A4	dubbel	F6,3	109	46,5	71	1

¹met bevestigingsbeugel